

Safety Data Sheet

According to 1907/2006, article 31 as amended

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
 Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Lacura Body nailpolish remover almond Oil**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Glanzer cosmetic engineering GmbH & Co KG

Produktion Grossendorf
 A-4551 Ried im Traunkreis
 Grossendorf 65
 Tel: +43 7588 7282-0 (08:00-16:30 Uhr):

National contact

Glanzer cosmetic engineering GmbH & Co KG
 Telephone: +43 7588 7282-0
 This number is only available during the following office hours
 Mon-Fri 08:00 AM - 04:30 PM
 e-mail: QS-Ried@glanzer.pink

1.4 Emergency telephone number

Poisons information centre of Ireland	01 837 9964	Acute Poisoning
	01 809 2566	Acute Poisoning
	01 809 2166	Public Poisons Information Line

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

- Signal word danger

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

- Pictograms

GHS02, GHS07



- Hazard statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

- Hazardous ingredients for labelling

Ethyl acetate, Propan-2-ol

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Ethyl acetate	CAS No 141-78-6 EC No 205-500-4 Index No 607-022-00-5	50 - < 75	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336 EUH066	
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	
Propan-2-ol	CAS No 67-63-0	1 - < 5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
	EC No 200-661-7 Index No 603-117-00-0			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ethanol	Eye Irrit. 2; H319: C ≥ 5 %	-	-	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Keep the eyelids open. Rinse preferably 3 minutes with DIPHOTERINE®, otherwise 15 minutes with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Special protective equipment for firefighters

Chemical protective clothing, Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Provision of sufficient ventilation. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Removal of ignition sources.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Keep container tightly closed. Use local and general ventilation. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

- Handling of incompatible substances or mixtures

- Keep away from

Oxidisers

Advice on general occupational hygiene

Take off immediately all contaminated clothing. Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs. Do not breathe gas/vapour/spray. Avoid contact with skin and eyes.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Incompatible substances or mixtures

- Do not mix with

Oxidisers

Control of effects

Protect against external exposure, such as frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
EU	ethyl acetate	141-78-6	IOEL V	200	734	400	1,468				2017/164/EU
GB	ethyl acetate	141-78-6	WEL	200	734	400	1,468				EH40/2005
GB	ethanol	64-17-5	WEL	1,000	1,920						EH40/2005
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250				EH40/2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Human health values

Relevant DNELs of components of the mixture							
Name of substance	CAS No	EC No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ethyl acetate	141-78-6	205-500-4	DNEL	734 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl acetate	141-78-6	205-500-4	DNEL	1,468 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Ethyl acetate	141-78-6	205-500-4	DNEL	734 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Ethyl acetate	141-78-6	205-500-4	DNEL	1,468 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Ethyl acetate	141-78-6	205-500-4	DNEL	63 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethyl acetate	141-78-6	205-500-4	DNEL	367 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Ethyl acetate	141-78-6	205-500-4	DNEL	734 mg/m ³	human, inhalatory	consumer (private households)	acute - systemic effects
Ethyl acetate	141-78-6	205-500-4	DNEL	367 mg/m ³	human, inhalatory	consumer (private households)	chronic - local effects
Ethyl acetate	141-78-6	205-500-4	DNEL	734 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
Ethyl acetate	141-78-6	205-500-4	DNEL	37 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Ethyl acetate	141-78-6	205-500-4	DNEL	4.5 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	200-578-6	DNEL	950 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	200-578-6	DNEL	1,900 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Ethanol	64-17-5	200-578-6	DNEL	343 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	200-578-6	DNEL	114 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	200-578-6	DNEL	950 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
Ethanol	64-17-5	200-578-6	DNEL	206 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	200-578-6	DNEL	87 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Propan-2-ol	67-63-0	200-661-7	DNEL	500 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Propan-2-ol	67-63-0	200-661-7	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Relevant DNELs of components of the mixture							
Name of substance	CAS No	EC No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Propan-2-ol	67-63-0	200-661-7	DNEL	89 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Propan-2-ol	67-63-0	200-661-7	DNEL	319 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Propan-2-ol	67-63-0	200-661-7	DNEL	26 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Environmental values

Relevant PNECs of components of the mixture							
Name of substance	CAS No	EC No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Ethyl acetate	141-78-6	205-500-4	PNEC	0.24 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl acetate	141-78-6	205-500-4	PNEC	0.024 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl acetate	141-78-6	205-500-4	PNEC	650 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl acetate	141-78-6	205-500-4	PNEC	1.15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethyl acetate	141-78-6	205-500-4	PNEC	0.115 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethyl acetate	141-78-6	205-500-4	PNEC	0.148 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethanol	64-17-5	200-578-6	PNEC	0.96 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethanol	64-17-5	200-578-6	PNEC	0.79 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethanol	64-17-5	200-578-6	PNEC	580 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethanol	64-17-5	200-578-6	PNEC	3.6 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethanol	64-17-5	200-578-6	PNEC	0.63 mg/kg	terrestrial organisms	soil	short-term (single instance)
Propan-2-ol	67-63-0	200-661-7	PNEC	140.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
Propan-2-ol	67-63-0	200-	PNEC	140.9	aquatic organ-	marine water	short-term

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Relevant PNECs of components of the mixture							
Name of substance	CAS No	EC No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
		661-7		mg/l	isms		(single instance)
Propan-2-ol	67-63-0	200-661-7	PNEC	2,251 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Propan-2-ol	67-63-0	200-661-7	PNEC	552 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Propan-2-ol	67-63-0	200-661-7	PNEC	552 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Propan-2-ol	67-63-0	200-661-7	PNEC	28 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Personal protective equipment must comply with Regulation (EU) 425/2016. Other national regulations must be observed. The standards listed below are minimum standards. The user must check whether additional standards must be complied with.

Eye/face protection

Use safety goggle with side protection. (EN 166).



Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask (DIN EN 136). Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	-97.8 °C
Boiling point or initial boiling point and boiling range	77.1 °C at 101.3 kPa
Evaporation rate	not determined
Flammability	flammable liquid in accordance with GHS criteria

Lower explosion limit (LEL)	2 vol%
Upper explosion limit (UEL)	15 vol%
Flash point	15 – 18 °C at 1 bar
Auto-ignition temperature	425 °C
Decomposition temperature	not relevant
pH (value)	not determined

Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	169.3 hPa at 25 °C
-----------------	--------------------

Density and/or relative density

Density	0.85 – 0.9 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

Other safety parameters

Explosive properties	none
Oxidising properties	none

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics

Miscibility	Completely miscible with water.
Solid content	0 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethyl acetate	141-78-6	dermal	LD50	>20,000 mg/kg	rabbit
Ethanol	64-17-5	oral	LD50	10,470 mg/kg	rat
Ethanol	64-17-5	inhalation: vapour	LC50	124.7 mg/l/4h	rat
Propan-2-ol	67-63-0	oral	LD50	5,280 mg/kg	rat

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Propan-2-ol	67-63-0	dermal	LD50	12,800 mg/kg	rabbit
Propan-2-ol	67-63-0	inhalation: vapour	LC50	72.6 mg/l/4h	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethyl acetate	141-78-6	LC50	230 mg/l	fish	96 h
Ethyl acetate	141-78-6	EC50	220 mg/l	fish	96 h
Ethyl acetate	141-78-6	NOEC	>100 mg/l	algae	72 h
Ethanol	64-17-5	LC50	15,400 mg/l	fish	96 h
Ethanol	64-17-5	LC50	5,012 mg/l	aquatic invertebrates	48 h
Ethanol	64-17-5	EC50	12,700 mg/l	fish	96 h

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	EC50	>10,000 mg/l	aquatic invertebrates	48 h
Ethanol	64-17-5	EC0	>10,000 mg/l	aquatic invertebrates	24 h
Ethanol	64-17-5	ErC50	22,000 mg/l	algae	96 h
Propan-2-ol	67-63-0	LC50	10,000 mg/l	fish	96 h
Propan-2-ol	67-63-0	LC50	>10,000 mg/l	aquatic invertebrates	24 h

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethyl acetate	141-78-6	EC50	2,306 mg/l	aquatic invertebrates	24 h
Ethyl acetate	141-78-6	NOEC	2.4 mg/l	aquatic invertebrates	21 d
Ethanol	64-17-5	EC50	>10,000 mg/l	aquatic invertebrates	24 h
Ethanol	64-17-5	LC50	1,806 mg/l	aquatic invertebrates	10 d
Ethanol	64-17-5	ErC50	675 mg/l	algae	4 d
Ethanol	64-17-5	NOEC	250 mg/l	fish	120 h
Propan-2-ol	67-63-0	LC50	>10,000 mg/l	aquatic invertebrates	24 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Relevant provisions relating to waste

List of wastes

Not assigned Disposal code numbers according to the European Waste Catalogue are defined according to origin of the waste. As this product is used in several branches of industry, no disposal code number can be specified by the manufacturer. The waste code number must be determined in consultation with the disposal company or the competent authority.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

14.2 UN proper shipping name

ADR/RID	FLAMMABLE LIQUID, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
Technical name (hazardous ingredients)	Ethyl acetate, Ethanol

14.3 Transport hazard class(es)

ADR/RID	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Particulars in the transport document	UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Ethyl acetate, Ethanol), 3, II, (D/E), special provision 640D
Classification code	F1
Danger label(s)	3

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17



Special provisions (SP)	274, 601, 640D
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
Emergency Action Code	3YE

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code	F1
Danger label(s)	3



Special provisions (SP)	274, 601, 640D
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Ethyl acetate, Ethanol), 3, II, 15°C c.c.
Marine pollutant	-
Danger label(s)	3



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, <u>S-E</u>
Stowage category	B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: Ethyl acetate, Ethanol), 3, II
Danger label(s)	3



Special provisions (SP)	A3
Excepted quantities (EQ)	E2

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5,000	50,000	51)

Notation

51) flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	90.4 %
-------------	--------

Industrial Emissions Directive (IED)

VOC content	86.9 – 90.4 %
-------------	---------------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
preservation agents (Potassium sorbate, SODIUM BENZOATE)	

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Lacura Body nailpolish remover almond Oil	this product meets the criteria for classification in accordance with Regulation No		3

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
	1272/2008/EC		

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.4		Poison centre: change in the listing (table)	yes
1.4		Poisons information centre of Ireland: 01 837 9964 Acute Poisoning 01 809 2566 Acute Poisoning 01 809 2166 Public Poisons Information Line	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lacura Body nailpolish remover almond Oil

Version number: GHS 2.0
Replaces version of: 2024-11-22 (GHS 1)

Revision: 2024-12-17

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.